



House of
british ceramic tile

FLOORING

2016

COLLECTION



ALL THE FLOOR TILES YOU NEED IN ONE, EASY-TO-USE BROCHURE

CONTENTS

HD Introduction	Keystone
The Trend Edit	Laura Ashley
HD Accolade	HD Laurel Marble
HD Astbury	Legend Porcelain
Brecon	Loft
Bretton	Mosaics
Brighton	HD Mantis
Buxton	HD Mimeo
Cappuccino	Mono Porcelain
Capri	HD Murmur
HD Concrete	Nero
HD Chameleon	HD Paragon
Dartmoor Naturals	HD Parallel
Devonstone	Parian
HD Ditto	Quarzite
Dorchester	Rapolano
Elite Stone	Shift
Fabulous	HD Slate
Feature Floors	Stipple Porcelain
Function & Form	Ted Baker
HD Gecko	Tiles by Studio Conran
HD Geneva	Timbao
Hex	V&A
HD Horizon	Vasanello
Horizon Porcelain	HD Wood
Icon Porcelain	Technical Information
HD Insignia	



life looks better in **HD**

AN INTRODUCTION TO BY BRITISH CERAMIC TILE

Didn't think you could create amazing stone, wood & graphic look using tiles? You can with our **HD range** – created using the very latest high definition inkjet technology.

- Emulate the look of natural stone and marble
- No sealing required
- Easy to install, clean and maintain
- Printed using the latest HD technology



3D HD

3D HD uses the same HD technology that we have become known for but it is applied to a 3D tile allowing us to continue to emulate real textures but now with an extra dimension.



HD Ultra

HD Ultra is a step up of the HD technology adding four times the resolution in the development and manufacturing process. The Ultra technology gives an increased depth and format to the finished product.

better
than the
real thing

MAGIC marble

Marbles have been updated, they are intricately patterned, serene and smooth to touch. The mineral element of natural lines offers a contemporary finish but also a timeless elegance. This trend is here to stay.

Matt and gloss combinations of gentle Carraras add a decorative and unexpected twist, whilst retaining the seamless space and timeless elegance.

The gentle transparency and soft grey hues are more popular this season, gentler and less aggressive than marbles of previous years. Contrasting finishes such as concrete adds an urban touch whilst gentle colour combinations can add a hint of warmth and personal character.

This trend adds a real sense of polished glamour and luxury. Let your mind mellow and feel truly relaxed with the welcoming feel of cool and calming intricate beauty.



Vasanello



HD Concrete Feature Floor

Concrete EVIDENCE

Raw, gritty and glamorous, the industrial minimalistic look, and versatility of concrete is empowering designers and architects more and more. This has marked a move from glossy white designs, to rustic, tactile and natural materials.

Building on the popularity of greys and upcycled living, the raw and industrial feel is as popular as ever. This season goes further by imprinting textures into unset concrete, softening the overall look, whether it be a natural finish or a decorative pattern.

Coloured concretes are starting to emerge either toning in with the inherent greys or fighting against them. Concrete can offer a natural texture or be painted in bold colours such as bright blues, oranges and yellows, surrounding an earthy colour palette. This works well with wooden accessories, or can be enhanced simply with a monochrome effect of sleek whites and blacks. Either way, the stylistic result of concrete is dramatic and striking.

Eclectic Mix


Eclectic Mix offers an interior look where anything goes! Mix and match texture, colour, pattern or print, but for the best results be bold. Mixing scale too, not only adds a decorative interest, but practically can define zones and maximise space. Mix faux concrete and parquet, for a cool industrial aesthetic appearance.

The key trends and looks of previous years are still as popular now, and rather than be replaced they have combined forces – giving a renewed energy and longevity to each individual look. The result is a modern and eclectic feel bursting with character and individuality.

For a successful mix, wood works well with stone, old with new, light with dark, matt with gloss. Consider combining shiny accents such as copper pendant lights with wooden cabinet doors for that blend of the refined and rustic.



Devonstone



Feature Floor Parquet

Wood has always been popular but with this trend we see it reinvented. It is never far from an interior scheme as it adds a natural warmth, but this latest addition uses wood in a more dramatic way. Dark and light shades of wood are combined decoratively creating patterned walls and floors. These sit perfectly alongside icons in furniture such as Ercol, where form and shape is of paramount importance.

Enhance space by using elongated planks on both walls and floors. Go further - mix and match different grains and shades to build a parquet-patterned floor.



HD accolade

An elegant ceramic tile available in two matt colourways, created using the latest HD technology.



BCT47032
Oak Riven
Multi Use
298x498mm
M C PEI 3



BCT47117
Grey Riven
Multi Use
298x498mm
M C PEI 4



HD astbury

The striking Astbury marble effect tile is created using the latest HD technology.



BCT41733
Beige Floor
498x498mm
M C PEI 3



BCT41740
Grey Floor
498x498mm
M C PEI 3

brecon

Brecon porcelain floor tile is a slate effect tile with a very subtle texture.



ISC2840
Black Porcelain Floor
330x600mm
M P PEI 4

bretton

A natural stone effect matt floor tile made from hard wearing porcelain.




ISC3484
Cream Floor
400x600mm
M P PEI 4



ISC3485
Beige Floor
400x600mm
M P PEI 4

brighton

Contemporary floor tiles with a gloss finish and linear design.



BCT17417
White Floor
331x331mm
S PEI 3



BCT20837
Ivory Floor
331x331mm
G PEI 3



BCT20844
Beige Floor
331x331mm
G PEI 4



BCT20851
Truffle Floor
331x331mm
G PEI 4



BCT20868
Grey Floor
331x331mm
G PEI 4



buxton

Satin finish porcelain floor tiles.



Did you know?
One mosaic strip
will create 6 borders,
easily cut at
home



BCT46202
Beige Floor
331x331mm S C PEI 4



BCT46196
Charcoal Floor
331x331mm S C PEI 4



BCT10340
Marble Beige Mosaic
302x302mm S C



BCT10357
Marble Black/White Mosaic
302x302mm S C

cappuccino

Beautiful stone effect multi use matt tiles.



BCT04059
Light Beige Multi Use
298x498mm
M C PEI 4



BCT04066
Dark Beige Multi Use
298x498mm
M C PEI 3

cappuccino



ISC3014
Crema Floor
450x450mm G C PEI 4



ISC3013
Almond Floor
450x450mm G C PEI 4

INDEPENDENTS
EXCLUSIVE



capri

Porcelain tiles for use in all areas.



ISC2628
Ivory Matt Multi Use
300x600mm
P M PEI 4



ISC2629
Beige Matt Multi Use
300x600mm
P M PEI 4

co-ordinating porcelain tiles



ISC2630
Ivory Gloss
Anti-Slip Floor
330x330mm
P G PEI 4



ISC2631
Beige Gloss
Anti-Slip Floor
330x330mm
P G PEI 4




BCT14393
Light Grey Floor
331x331mm
M C PEI 3



BCT14409
Mid Grey Floor
331x331mm
M C PEI 3



BCT14416
Dark Grey Floor
331x331mm
M C PEI 3



BCT14423
Concrete Feature Floor
331x331mm
M C PEI 3



INDEPENDENTS
EXCLUSIVE

HD chameleon
TECHNOLOGY

Sumptuous marble effect ceramic tiles featuring a contemporary colour palette created using the latest HD technology.



BCT21476
Grey Matt Multi Use
298x498mm
M C PEI 3



BCT12108
Beige Matt Multi Use
298x498mm
M C PEI 3



BCT21490
Emerald Matt Multi Use
298x498mm
M C PEI 3



BCT21483
White Matt Multi Use
298x498mm
M C PEI 3

add a mosaic



BCT38528
Beige/Emperador
Polished Mosaic
305x305mm

Add a natural
stone mosaic for
extra detail

dartmoor naturals



BCT13853
Sandstone Floor
333x333mm **S** **P** **PEI 4**




BCT13808
White Floor
333x333mm **S** **P** **PEI 4**



BCT11699
Pulpis Floor
333x333mm **S** **P** **PEI 4**



BCT44635
Limestone Floor
333x333mm **S** **C** **PEI 4**



Key **P** Porcelain **NS** Natural Stone **C** Ceramic **G** Gloss **M** Matt **S** Satin

INDEPENDENTS
EXCLUSIVE

devonstone

Simplicity and clarity inspired by our Devon heritage.



BCT08453
Dark Beige Floor
331x331mm
M **C** **PEI 3**



BCT08460
Dark Grey Floor
331x331mm
M **C** **PEI 3**



BCT08514
Brown Floor
331x331mm
M **C** **PEI 3**



BCT08521
Black Floor
331x331mm
M **C** **PEI 3**



BCT46806
Devonstone
Feature Floor Black
331x331mm
M **C** **PEI 3**



BCT11064
Devonstone
Feature Floor Grey
331x331mm
M **C** **PEI 3**



BCT11057
Devonstone
Feature Floor Brown
331x331mm
M **C** **PEI 3**



www.britishceramictile.com | Tel. 0845 055 1275 | enquiries@britishceramictile.com



A range of ceramic and matt floor tiles created using the latest in high definition technology.



BCT20448
Beige Floor
331x331mm
M C PEI 3



BCT20479
Light Grey Floor
331x331mm
M C PEI 4



BCT20509
Dark Grey Floor
331x331mm
M C PEI 4



BCT12740
Beige Floor
400x600mm
M P PEI 4




BCT12757
Light Grey Floor
400x600mm
M P PEI 4




BCT12764
Dark Grey Floor
400x600mm
M P PEI 4

dorchester



BCT17370
Carrara White Floor
331x331mm
G C PEI 3



BCT17394
Calacatta Floor
331x331mm
G C PEI 4



BCT17356
Travertine Floor
331x331mm
G C PEI 4



INDEPENDENTS
EXCLUSIVE

elite
stone

bali cream



ISC2665
5x5 Mosaic
Polished
305x305mm G NS



ISC2666
Brick Mosaic
Polished
305x305mm G NS



ISC2670
Polished Multi Use
406x610mm
M NS PEI 4



ISC2664
Polished Multi Use
305x305mm G NS



rice white




ISC2676
5x5 Mosaic
Honed
305x305mm **M** **NS**



ISC2677
Brick Mosaic
Honed
305x305mm **M** **NS**



ISC2680
Honed Multi Use
305x305mm **M** **NS**



BCT25153
Walnut Floor
1193x197mm
M P PEI 2

BCT24651
Oak Floor
1193x197mm
M P PEI 2

BCT23692
Ash Floor
1193x197mm
M P PEI 2

SUBTLE
COLOURS &
WOOD EFFECT
PATTERN

Splendid

Three fabulous wood effect porcelain tiles with a matt finish and realistic wood texture, all in a large plank format.

Sublime

A stunning gloss floor tile in a large format linear effect porcelain in four subtle colours.



BCT25184
Grey Floor
595x595mm
M P PEI 2



BCT25276
Beige Floor
595x595mm
M P PEI 4



BCT25368
Truffle Floor
595x595mm
M P PEI 4



BCT25450
White Floor
595x595mm
M P PEI 3

GLOSS LINEAR
PATTERN
WITH EXOTIC BARK
EFFECT

SHADES OF
GREY &
 HARD WEARING
 TILES IN 3 SIZES

BCT25672
 Dark Grey Floor
 745x745mm
 (M) (P) (PEI 4)

BCT25849
 Dark Grey Floor
 595x595mm
 (M) (P) (PEI 4)

BCT26594
 Dark Grey
 Multi Use
 296.5x595mm
 (M) (P) (PEI 4)

BCT25566
 Mid Grey Floor
 745x745mm
 (M) (P) (PEI 4)

BCT25931
 Mid Grey Floor
 595x595mm
 (M) (P) (PEI 4)

BCT26617
 Mid Grey
 Multi Use
 296.5x595mm
 (M) (P) (PEI 4)

BCT25757
 Light Grey Floor
 745x745mm
 (M) (P) (PEI 4)

BCT28819
 Light Grey Floor
 595x595mm
 (M) (P) (PEI 4)

BCT26624
 Light Grey
 Multi Use
 296.5x595mm
 (M) (P) (PEI 4)

Key (P) Porcelain (NS) Natural Stone (C) Ceramic (G) Gloss (M) Matt (S) Satin

www.britishceramictile.com | Tel. 0845 055 1275 | enquiries@britishceramictile.com

FABULOUS

Sumptuous

Three contemporary shades of grey are offered in three large format sizes all in high spec, matt finish porcelain.



FEatUre

FLOORS


by british ceramic tile

This range of ceramic floor tiles will make a feature of any room in the home.


From traditional inspired designs through to the contemporary and funky patterns, you can create a floor less ordinary.




INDEPENDENTS
EXCLUSIVE



BCT28666
Stepping Stones
Floor
331x331mm
M C PEI 4



BCT28680
Walk in the Park
Floor
331x331mm
M C PEI 4



BCT28697
Infinity Floor
331x331mm
M C PEI 4



BCT28659
Mary Floor
331x331mm
M C PEI 3



BCT28642
Bertie Floor
331x331mm
M C PEI 3



BCT28710
Illusion Grey Floor
331x331mm
M C PEI 3



BCT28727
Illusion Neutral
Floor
331x331mm
M C PEI 3



BCT46806
Devonstone Feature
Floor Black
331x331mm
M C PEI 3




BCT11057
Devonstone Feature
Floor Brown
331x331mm
M C PEI 3



BCT11064
Devonstone Feature
Floor Grey
331x331mm
M C PEI 3



BCT14423
HD Concrete
Feature Floor
331x331mm
M C PEI 4



function & form

A contemporary range of black and white wall and floor tiles with various 3D effect décors.




BCT21094
Black Matt Multi Use
298x498mm
M C PEI 2




BCT20929
Black Matt Plank Multi Use
148x498mm
M C PEI 1




BCT18857
Black Matt Floor
331x331mm
M C PEI 2




BCT21070
White Matt Multi Use
298x498mm
M C PEI 4



BCT20912
White Matt Plank Multi Use
148x498mm
M C PEI 4



BCT18833
White Matt Floor
331x331mm
M C PEI 3




BCT46684
Satin Floor
498x498mm
S C PEI 4



HD geneva
TECHNOLOGY

Geneva offers a modern striking black and white carrara marble effect that adds luxury within any bathroom.



BCT41856
Carrara Floor
498x498mm **C M PEI 4**



INDEPENDENTS
EXCLUSIVE

HD gecko
TECHNOLOGY

Distinctive sandstone effect ceramic tile created using the very latest HD technology, each tile has its own individual characteristics just like the natural alternative.



BCT21551
Green Matt Multi Use
298x498mm
M C PEI 4



BCT21568
Terracotta Matt Multi Use
298x498mm
M C PEI 3



BCT21537
Grey Matt Multi Use
298x498mm
M C PEI 3



BCT21544
Beige Matt Multi Use
298x498mm
M C PEI 4



hex


A stylish range of porcelain hexagon tiles adding a fresh geometry to floors and walls. Available in matt and satin in a variety of colours that can be used individually or co-ordinated to create decorative patterns. The possibilities for this tile in your home are limitless.



BCT48466
HD Laurel Hexagon
Multi Use
175x202mm M P PEI 4



BCT48428
Hexagon Black
Multi Use
175x202mm M P PEI 1



BCT48459
Hexagon White
Multi Use
175x202mm M P PEI 4



BCT48442
Hexagon Cream
Multi Use
175x202mm M P PEI 4



BCT48435
Hexagon Grey
Multi Use
175x202mm M P PEI 2



HD horizon
TECHNOLOGY

Tiles designed to emulate the splendour and beauty of natural liquorice marble.



BCT40149
Taupe Floor
333x333mm **M P PEI 4**




BCT40156
Grey Floor
333x333mm **M P PEI 4**

horizon porcelain

Beautiful, contemporary porcelain with the quality and durability you would expect but at the price you wouldn't.



BCT46523
Anthracite Floor
600x600mm
P M PEI 2



BCT46530
Anthracite Multi Use
300x600mm
P M PEI 2



BCT46547
Grey Floor
600x600mm
P M PEI 3



BCT46554
Grey Multi Use
300x600mm
P M PEI 3



BCT46561
Pearl Floor
600x600mm
P M PEI 3



BCT46578
Pearl Multi Use
300x600mm
P M PEI 3





icon porcelain


Beautiful, contemporary porcelain with the quality and durability you would expect but at the price you wouldn't.



BCT46660
Grey Floor
600x600mm
P M PEI 4




BCT46646
Bone Floor
600x600mm
P M PEI 4



BCT46622
Anthracite Floor
600x600mm
P M PEI 3



BCT46677
Grey Multi Use
300x600mm
P M PEI 4



BCT46653
Bone Multi Use
300x600mm
P M PEI 4



BCT46639
Anthracite Multi Use
300x600mm
P M PEI 3



A sophisticated gloss marble effect wall tile and anti-slip gloss floor tile available in three colourways created using the latest HD technology.



BCT47131
Grey Anti-Slip Gloss Floor
498x498mm **G C PEI 4**



BCT47162
White Anti-Slip Gloss Floor
498x498mm **G C PEI 4**



BCT47575
Beige Anti-Slip
Gloss Floor
498x498mm **G C PEI 4**



addamosaic

BCT38306
Lemon Marble Mosaic
300x300mm



INDEPENDENTS
EXCLUSIVE

keystone

Porcelain slate effect floor tiles made using the very latest technology.



ISC3478
Stone Floor
400x600mm
M P PEI 4



ISC3477
Mocha Floor
400x600mm
M P PEI 4

LAURA ASHLEY COASTAL


Bring the calming sense of the seaside into your home with these coastal-inspired tiles.



LA51744
Seaspray Multi Use
148x498mm
C S PEI 4



LA51737
Natural Multi Use
148x498mm
C S PEI 4



LA51720
White Multi Use
148x498mm
C S PEI 4




LAURA ASHLEY JOSETTE

The classic damask pattern of Josette expands across a two tile panel.



LA51652
Pale Linen Multi Use
298x498mm
M C PEI 3



LA51713
White Multi Use
298x498mm
M C PEI 3




LA51621
Dove Grey Multi Use
298x498mm
M C PEI 3



LA51683
Duck Egg Multi Use
298x498mm
M C PEI 3

LAURA ASHLEY THE HERITAGE COLLECTION

Enrich the feel of any room by creating a look that is truly intriguing on the eye.



LA52000
Mr Jones
Charcoal Floor
331x331mm
M C PEI 3



LA52017
Mr Jones
Dove Grey Floor
331x331mm
M C PEI 3



LA51980
Wicker
Charcoal Floor
331x331mm
M C PEI 3



LA51997
Wicker
Dove Grey Floor
331x331mm
M C PEI 3



LAURA ASHLEY THE WHITE COLLECTION

The White Collection brings a calm and restful feel to your home with its soft floral prints, linear textures and simple geometric patterns.



LA51485
Cottonwood Linear
White Floor
331x331mm
M C PEI 3



LA51928
Marise Floor
331x331mm
M C PEI 3



LA52024
White Satin Floor
331x331mm
M C PEI 3



LAURA ASHLEY WOOD EFFECT

Wood effect tiles combine the beauty of wood with the practical benefits of ceramic tiles, as they are hard wearing, water resistant, easy to clean and perfect for use with underfloor heating.

Available in a choice of four wood styles, the plank format tiles can be used on floors and walls throughout the home.



LA51768
Walnut Multi Use
148x498mm
M C PEI 4



LA51874
Oak Multi Use
148x498mm
M C PEI 4



LA51775
Limed Oak Multi Use
148x498mm
M C PEI 3



LA51782
Whitewash Multi Use
148x498mm
M C PEI 3

A luxurious white carrara marble effect range available in a variety of formats.



BCT47018
Matt Floor
498x498mm **C** **M** **PEI 4**



BCT48466
Hexagon Multi Use
175x202mm **P** **M** **PEI 4**



legend porcelain

Beautiful, contemporary porcelain with the quality and durability you would expect but at the price you wouldn't.



BCT46608
Nuez Floor
600x600mm
P M PEI 4



BCT46585
Ivory Floor
600x600mm
P M PEI 4



BCT46615
Nuez Multi Use
300x600mm
P M PEI 4



BCT46592
Ivory Multi Use
300x600mm
P M PEI 4



BCT30447
Beige Mosaic
300x300mm
P R10/B

BCT30362
Beige Matt Floor
600x600mm
P R10/B

BCT30409
Beige Matt
Multi Use
300x600mm
P R10/B



BCT30386
Grey Matt Floor
600x600mm
P R10/B

BCT30423
Grey Matt
Multi Use
300x600mm
P R10/B

BCT30461
Grey Mosaic
300x300mm
P R10/B



BCT30379
Coffee Matt Floor
600x600mm
P R10/B

BCT30416
Coffee Matt
Multi Use
300x600mm
P R10/B



BCT30393
Anthracite Matt
Floor
600x600mm
P R10/B

BCT30430
Anthracite Matt
Multi Use
300x600mm
P R10/B

BCT30478
Anthracite Mosaic
300x300mm
P R10/B




loft

An anti-slip, rectified porcelain range, with a subtle textured design.

Naturals

The Naturals story celebrates the unique beauty of natural stone to offer a timeless look that will lavish walls and floors for years to come.




M000113
Natural CM-114
Mosaic
305x305mm



M000118
Natural CM-105
Mosaic
305x305mm



M000119
Natural CM-106
Mosaic
305x305mm



M000117
Natural CM-104
Mosaic
305x305mm



M000120
Natural CM-107
Mosaic
305x305mm



BCT10333
Marble Beige Mosaic
325x325mm



BCT38481
Limestone Honed
Mosaic
305x305mm



BCT38528
Beige/Emperador
Polished Mosaic
305x305mm



BCT38290
Lemon Marble
Brick Mosaic
300x300mm



BCT38306
Lemon Marble
Square Mosaic
300x300mm



BCT38535
Emperador Glass
Mix Polished Mosaic
305x305mm



Shades of grey

From bold black to clean, crisp whites and multiple shades of grey in-between. The Shades of Grey range includes mosaics with iridescent, metal and foil finishes.



BCT38313
Hexagon Porcelain
Black Mosaic
300x300mm

P M

Luxe

Luxe brings together unique shapes and luxurious finishes such as mother of pearl for the ultimate finish to any room.



BCT38559
White Hexagon Stone
Mosaic
305x265mm

NS M



Dramatic and bold, this luxurious carrara marble effect is created using the very latest HD technology to give each tile its own identity.



BCT21520
White Matt Floor
331x331mm (M) (C)



BCT21513
White Matt Multi Use
298x498mm
(M) (P) (PEI 4)



BCT23616
White Matt Floor
472x708mm (M) (P) (PEI 3)



BCT23623
White Gloss Floor
472x708mm (G) (P) (PEI 3)





Beautiful stone effect ceramic tile printed using the latest in HD technology.



BCT21049
Grey Matt Multi Use
298x498mm
M C PEI 3



BCT46714
White Matt Multi Use
298x498mm
M C PEI 4



BCT20981
Light Grey Matt Multi Use
298x498mm
M C PEI 3



mono porcelain

through bodied


Timeless monochrome never goes out of fashion. Use solid black to create drama, or crisp white to give a minimal look, or why not combine the two?



ISC2560S
Black Floor
600x600mm **P**



ISC2558S
Black Multi Use
300x600mm **P**



ISC2561S
White Floor
600x600mm **P**




ISC2559S
White Multi Use
300x600mm **P**

HD **murmur**
TECHNOLOGY

Classic ceramic wall and floor tiles that replicate the look of real marble.



BCT20561
Grey Floor
331x331mm
G C PEI 4



BCT20530
Cream Floor
331x331mm
G C PEI 4

nero

A stunning black marble effect floor tile.



BCT17363
Black Marble Floor
331x331mm
G C PEI 4

HD **paragon**
TECHNOLOGY

Rustic brick effect matt tiles with complementing multi use plains created using the latest 3D HD technology.



BCT47322
Grey Concrete Multi Use
298x498mm M C PEI 4



BCT48015
Rustic Concrete Multi Use
298x498mm M C PEI 4



HD **parallel** A gloss travertine effect floor tile.



BCT20409
White Floor
331x331mm
G C PEI 4



BCT18840
Light Beige Floor
331x331mm
G C PEI 4



BCT20379
Dark Beige Floor
331x331mm
G C PEI 4



BCT15994
Dark Grey Floor
331x331mm
G C PEI 4



BCT15963
Light Grey Floor
331x331mm
G C PEI 4

parian

Be on-trend with this set of 12 porcelain patchwork tiles. With four different designs, it is perfect for creating a statement wall or floor!




BCT41948
Set of 12 Multi Use
Coloured Décors - 4 Designs
142x142mm
P PEI 4



BCT41955
Set of 12 Multi Use
Grey Décors - 4 Designs
142x142mm
P PEI 4




BCT41979
Red Plain
Multi Use
142x142mm
P



BCT41993
Mid Grey Plain
Multi Use
142x142mm
P PEI 2



BCT41962
Cream Plain
Multi Use
142x142mm
P PEI 4



BCT41986
Dark Grey Plain
Multi Use
142x142mm
P PEI 4

quarzite

Porcelain range of matt floor tiles in a natural stone effect.



ISC2710
Beige Multi Use
300x600mm
M P PEI 3



ISC2707
Light Grey Multi Use
300x600mm
M P PEI 3



ISC2708
Dark Grey Multi Use
300x600mm
M P PEI 3



ISC2709
Anthracite Multi Use
300x600mm
M P PEI 3



rapolano

Ceramic range of wall tiles in gloss or matt with matching floors, all in a natural stone effect.



BCT20256
Noce Matt
Multi Use
298x598mm **M C PEI 3**



BCT01522
Noce Matt Multi Use
298x498mm
M C PEI 3



BCT20270
Noce Matt Floor
331x331mm
M C PEI 3



BCT47209
Noce Anti-Slip Gloss
Beige Floor
331x331mm
G C PEI 4



BCT01423
Walnut Matt
Multi Use
298x598mm
M C PEI 3



BCT01447
Walnut Matt
Multi Use
298x498mm
M C PEI 3



BCT01430
Walnut Matt Floor
331x331mm
M C PEI 3





rapolano

Ceramic range of wall tiles in gloss or matt with matching floor tiles, all in a natural stone effect.



BCT20225
Marfil Matt
Multi Use
298x598mm
M C PEI 3



BCT01485
Marfil Matt
Multi Use
298x498mm
M C PEI 3



BCT20249
Marfil Matt Floor
331x331mm
M C PEI 3



BCT47216
Marfil Anti-Slip Gloss
Beige Floor
331x331mm G C PEI 4



BCT39716
Grey Matt
Multi Use
298x598mm
M C PEI 3



BCT39730
Grey Matt
Multi Use
298x498mm
M C PEI 3



BCT39709
Grey Matt Floor
331x331mm
M C PEI 3



BCT47193
Grey Anti-Slip
Gloss Floor
331x331mm G C PEI 4



BCT30720
Beige Matt Floor
600x600mm
M P R10



BCT30744
Grey Matt Floor
600x600mm
M P R10



BCT30737
Mocha Matt Floor
600x600mm
M P R10



BCT30751
Graphite Matt Floor
600x600mm
M P R10

BCT30836
Graphite Matt
Multi Use
300x600mm
M P R10

BCT30874
Graphite Step Tread
300x600mm
M P

BCT30843
Beige Step Tread
300x600m
M P

BCT30805
Beige Matt
Multi Use
300x600mm
M P R10

BCT30829
Grey Matt
Multi Use
300x600mm
M P R10

BCT30867
Grey Step Tread
300x600mm
M P

BCT30812
Mocha Matt
Multi Use
300x600mm
M P R10

BCT30850
Mocha Step Tread
300x600mm
M P



shift

A high quality anti-slip, rectified porcelain range available in four sophisticated colours.

HD TECHNOLOGY **slate**

Rustic by design, but practical by nature, the collection is incredibly versatile and brings a strong, textural quality to walls and floors, seamlessly recreating a rustic slate-effect from floor to ceiling.



BCT39754
Oyster Floor
498x498mm
G C PEI 4



BCT39761
Beige Floor
498x498mm
G C PEI 4



BCT39778
Grey Floor
498x498mm
G C PEI 4



BCT39747
Black Floor
498x498mm
G C PEI 4

stipple porcelain through bodied

A sleek, luxurious porcelain range available in a diverse choice of colours, finishes and formats.



BCT21384
Light Grey Floor
300x600mm
P M R10/B




BCT21360
Light Grey Polished Floor
300x600mm P G



BCT21391
Light Grey Multi Use
600x600mm P M R10/B



BCT21377
Light Grey Polished Floor
600x600mm P G



BCT21421
Warm Grey Floor
300x600mm P M R10/B



BCT21407
Warm Grey Polished Floor
300x600mm P G



BCT21438
Warm Grey Multi Use
600x600mm P M R10/B



BCT21414
Warm Grey Polished Floor
600x600mm P G

stipple porcelain through bodied

A sleek, luxurious porcelain range available in a diverse choice of colours, finishes and formats.



BCT21308
Black Floor
300x600mm P M R10/B



BCT21285
Black Polished Floor
300x600mm P G



BCT21315
Black Multi Use
600x600mm P M R10/B



BCT21292
Black Polished Floor
600x600mm P G



BCT21346
Beige Floor
300x600mm P M R10/B



BCT21322
Beige Polished Floor
300x600mm P G



BCT21353
Beige Multi Use
600x600mm P M R10/B




BCT21339
Beige Polished Floor
600x600mm P G



GeoTile

Inspired by the Edwardian tiles that lead up the pathways of London's iconic townhouses, GeoTile threads a sleek tonal grey colourway with Ted's favourite geometric prints.

Fancy flourishes that look stylish in any room, GeoTile can be used inside or out and come in a pack of 24 with two of each design.



BCT43706
Pack of 2 x 12 GeoTile Designs
Multi Use
148x148mm
PEI 3

TED BAKER
LONDON




TED BAKER
LONDON

Key P Porcelain NS Natural Stone C Ceramic G Gloss M Matt S Satin


VersaTile

A range of no ordinary tiles, the VersaTile collection is functional, with a touch of flair. Simple yet stylish, they can be coordinated with almost all of Ted's tiles and come in three shades of grey specially chosen to make your house a home.

Small



BCT43713
Small White
VersaTile
Multi Use
148x148mm
M P PEI 4




BCT43720
Small
Light Grey
VersaTile
Multi Use
148x148mm
M P PEI 3



BCT43737
Small Dark Grey
VersaTile
Multi Use
148x148mm
M P PEI 3

Big



BCT45793
Big White VersaTile
Multi Use
298x498mm
M C PEI 4



BCT45748
Big Light Grey VersaTile
Multi Use
298x498mm
M C PEI 3



BCT45755
Big Mid Grey VersaTile
Multi Use
298x498mm
M C PEI 3



BCT45762
Big Dark Grey VersaTile
Multi Use
298x498mm
M C PEI 3



ParqTile

Ted's branched out to create a range of parquet-effect tiles that can be used on walls or floors, inside or out. Available in traditional brown and contemporary grey, these tiles are finished with an authentic grain effect. Have it your own way by creating a pattern or patchwork effect, suited perfectly to your taste.



BCT43751
Brown
ParqTile
Multi Use
148x148mm
PEI 3




BCT43744
Grey
ParqTile
Multi Use
148x148mm
PEI 2

TED BAKER
LONDON

TRACE

◆●+



RAN00934
Plain White Matt
331x331mm
M C PEI 4



RAN00927
Plain Black Matt
331x331mm
M C PEI 2



RAN00965
Plain Putty Matt
331x331mm
M C PEI 4



RAN00989
Plain Dusk Matt
331x331mm
M C PEI 2




RAN00941
Plain Poise Matt
331x331mm
M C PEI 2



RAN00958
Plain Plum Matt
331x331mm
M C PEI 2



RAN00972
Plain Smoke Matt
331x331mm
M C PEI 3



RAN01009
Plain White Matt
498x498mm
M C PEI 4



RAN00996
Plain Black Matt
498x498mm
M C PEI 3



RAN01030
Plain Putty Matt
498x498mm
M C PEI 3



RAN01054
Plain Dusk Matt
498x498mm
M C PEI 2



RAN01016
Plain Poise Matt
498x498mm
M C PEI 2



RAN01023
Plain Plum Matt
498x498mm
M C PEI 2



RAN01047
Plain Smoke Matt
498x498mm
M C PEI 3





timbao


Porcelain range of wall and floor tiles in a slate effect with scored option.



ISC3056
Ivory Multi Use
310x560mm
M P PEI 3



ISC3054
Black Multi Use
310x560mm
M P PEI 3



ISC3058
Green Multi Use
310x560mm
M P PEI 3

INDEPENDENTS EXCLUSIVE



VA03902
Omar Multicolour Floor
331x331mm
C G PEI 4



vasanello

Vasanello is a linear vein marble effect design.



BCT41443
Cream Floor
333x333mm
M P PEI 3



BCT41429
Light Grey Floor
333x333mm
M P PEI 4



BCT41450
Taupe Floor
333x333mm
M P PEI 4



BCT41436
Dark Grey Floor
333x333mm
M P PEI 4



Ceramic range of wall and floor tiles printed using the latest technology to emulate the look of real wood.



BCT21216
Classic Wood Effect
Brown Matt
Multi Use
148x498mm
M C PEI 3




BCT21247
Rustic Wood Effect
White Matt
Multi Use
148x498mm
M C PEI 4




BCT21223
Classic Wood Effect
Beige Matt
Multi Use
148x498mm
M C PEI 3




BCT21254
Rustic Wood Effect
Light Grey Matt
Multi Use
148x498mm
M C PEI 4



BCT21209
Classic Wood Effect
Grey Matt
Multi Use
148x498mm
M C PEI 3



BCT21261
Rustic Wood Effect
Dark Grey Matt
Multi Use
148x498mm
M C PEI 3



BCT21230
Classic Wood Effect
Light Grey Matt
Multi Use
148x498mm
PEI 4 M C



BCT21278
Rustic Wood Effect
Beige Matt
Multi Use
148x498mm
PEI 3 M C



technical information

Technically Perfect

At British Ceramic Tile we strive to be faultless in our approach to meeting the strictest of technical standards. We produce in excess of 20,000m² of tiles every day and we do so within internationally recognised standards. This is a difficult technical challenge yet we do not compromise on any of these standards.

It is only by manufacturing in such volume, with such consistent technical precision, that we can be sure that we are able to pass on the benefits of our modern manufacturing capability downstream to our specifiers and end users in the form of better value for money in our product.

BS EN14411

As with most construction products, the main technical characteristics of ceramic tiles are classified by international standards. For ceramic tiles, the relevant harmonised European standard is BS EN 14411. This standard encompasses the BS EN ISO 10545 suite of ceramic tile test methods.

Within EN 14411, ceramic tiles are classified into various groups to reflect the range of production processes and product characteristics. The products manufactured in our factory in Devon are classified as group BIII and are covered by Annex L of the standard. We manufacture to strict levels of quality control throughout the entire production process to ensure all products meet or exceed these requirements. We periodically have the tiles independently assessed by an accredited ceramic test laboratory (CERAM).

CE Marking and Product Directives

The CE mark is a mandatory conformity mark for many products within the European Economic Area (EEA). By affixing the CE mark, the manufacturer asserts that the item meets all the essential requirements of all applicable harmonised European standards as set out in the relevant European Product Directives. For ceramic tiles, the requirements for CE marking are contained within Annex ZA of EN 14411. This standard meets the requirements of the Mandates M/119 (Floorings) and M/121 (Internal and external wall and ceiling finishes) given under the EU Construction Products Directive (89/106/EEC). Further information may be found at www.britishceramictile.com/technical

Slip Resistance

There is a duty of care upon stakeholders involved in specifying flooring products (manufacturers, architects, distributors, installers etc.) to ensure that the surfaces are fit for purpose and do not pose a safety risk. One of the key considerations is defining its slip resistance. The latest version of EN14411 does not define a single test protocol for assessing slip resistance. Instead several tests have been deemed to be acceptable and it has been left to individual EU member states to determine their favoured test. For the UK, the only slip test recognised by the Health and Safety Laboratory is the pendulum test. Other slip tests e.g. DIN 51130 Ramp or Tortus are not recognised.

For ceramic tiles, the use of the pendulum is covered by BS 7976-2. The test is designed to simulate the action of a slipping foot and uses a weighted swinging arm which contacts the test surface via a standard rubber heel (slider). The slip resistance is calculated by measuring the upswing - the greater the upswing, the lower the slip resistance.

Further details on measuring slip resistance can be found in the following link www.hse.gov.uk/pubns/web/slips01.pdf

The HSE has also developed a freely downloadable software package (Slip Assessment Tool – SAT) that allows users to assess the slip potential of pedestrian walkway surfaces using surface microroughness data and other relevant information. The SAT software can be downloaded free from the following link.

www.hsesat.info

Abrasion Resistance of Glazed Floor Tiles (PEI)

All floor coverings are exposed to wear due to the abrasive action of dirt particles contained on the soles of the user's footwear. Over prolonged periods this causes the appearance of the tile to change. As applied to glazed ceramic floor tiles, surface abrasion is assessed by BS EN ISO 10545-7.

This test is a compulsory requirement for glazed ceramic tiles intended to be used in flooring applications. This test involves subjecting the glazed tile to an abrasive load and establishing the number of revolutions required to cause visible damage to the glazed surface. The test results are classified into one of six wear resistance groups ranging from class 0 (unsuitable for floors) to class 5 (suitable for intensive pedestrian traffic). The test and the associated scale were originally developed by the Porcelain Enamel Institute (PEI) and hence the term PEI is frequently encountered in this field. Annex N of EN14411 provides informative guidance on suitable end uses for each wear class. To avoid the risk of premature wear, tiles with a wear resistance classification that meets (or exceeds) that required for the particular application should be used.

Class 0 Not recommended for use on floors.

Class 1 Very light traffic. Soft soled footwear or bare feet without direct access from outside (ensuite bathrooms).

Class 2 Light traffic. Soft soled or normal footwear with very occasional exposure to scratching dirt (living rooms, main bathroom areas, bedrooms).

Class 3 Light to Moderate Traffic. Normal footwear in the presence of small amounts of scratching dirt (any residential area with the possible exception of some entries and kitchens if extremely heavy or abrasive traffic is anticipated).

Class 4 Moderate to Heavy Traffic with some scratching dirt (entrances, commercial kitchens, hotels, exhibitions).

Class 5 Heavy traffic over sustained periods with some scratching dirt (shopping centres, airport concourses, hotel foyers).

BS EN ISO 10545-7 and the associated scale are only applicable to glazed tiles. Unglazed floor tiles, e.g. through body porcelain are subjected to a different wear test, namely BS EN10545-6 which measures resistance to deep abrasion.

Tile Fixing Recommendation

The fixing of tiles to walls and floors is governed by several British Standards, notably the BS 5385 series and BS 8000-11. A list of the individual standards is given here:

Fixing standards

BS 5385-1:2009 Wall and floor tiling. Design and installation of ceramic, natural stone and mosaic wall tiling in normal internal conditions. Code of practice

BS 5385-2:2006 Wall and floor tiling. Design and installation of external ceramic and mosaic wall tiling in normal conditions. Code of practice

BS 5385-3:2007 Wall and floor tiling. Design and installation of internal and external ceramic floor tiles and mosaics in normal conditions. Code of practice

BS 5385-4:2009 Wall and floor tiling. Design and installation of ceramic and mosaic tiling in special conditions. Code of practice

BS 5385-5:2009 Wall and floor tiling. Design and installation of terrazzo, natural stone and agglomerated stone tile and slab flooring. Code of practice

BS 8000-11.1:1989 Workmanship on building sites. Code of practice for wall and floor tiling. Ceramic tiles, terrazzo tiles and mosaics

BS 8000-11.2:1990 Workmanship on building sites. Code of practice for wall and floor tiling. Natural stone tiles

A list of standards relating to adhesives and grout is listed here:

BS EN 12004:2007 Adhesives for tiles – Requirements, evaluation of conformity, classification and designation

BS EN 13888:2009 Grout for tiles — Requirements, evaluation of conformity, classification and designation

The nature of the background should always be a primary consideration, since it determines the type of adhesive to be used and whether any intermediate substrate or other preparatory treatment is required before tiling can commence. Factors relating to the background to be considered are numerous and include the type of material, condition, straightness, porosity, presence of soluble salts etc. Early consideration should also be given to the provision of movement joints in order to allow stresses that result from movement of the background, e.g. drying shrinkage, thermal changes and moisture changes to be dissipated.

We also recommend that tiles are separated with minimum tile joints of 2mm for wall tiles and 3mm for floor tiles.

Ceramic tiles can be fixed using cementitious, dispersion or reaction resin adhesives that are suitable for the required application and the type of tile type to be fixed (BIII, BIa etc.). The fixing method to be used varies depending on the type of background, the nature of the adhesive and the anticipated service conditions of the installation. Therefore, the recommendations of the relevant British Standard and the specific instructions of the adhesive manufacturers should be followed. The performance requirements of adhesives are specified in BS EN 12004:2007.

The performance requirements of grouts are specified in BS EN 13888:2009. It should be noted that some coloured grouts can cause staining on certain glazed tiles. Following the recommendations given in BS 5385, we recommend that when using coloured grouts, a loose sample should first be tested to ensure the tile does not absorb pigment into its surface.

Cleaning & Maintenance

With proper care and attention, a correctly installed, good quality ceramic tile should give many years of trouble-free service.

The Tile Association “Cleaning & Maintenance of Ceramic Tiles” publication recommends:

Hard water deposits, soap, scum and body oils build up and, therefore thorough and frequent cleaning is essential.

The best way to prevent build up of soap, scum and body oil deposits is to use a plastic scouring pad with the appropriate cleaner when cleaning. Acidic based proprietary cleaning materials should not be used with ceramics, porcelain or natural stone.

Wet rooms with inadequate ventilation to remove excess moisture may have fungal growth on the tiles or grout. This can be controlled by wiping with a dilute solution of bleach and leaving it for five minutes before cleaning off. If the fungal growth is not completely removed the bleach may be re-applied and scrubbed with a brush to loosen. The surface should always be rinsed thoroughly with clean water. Bleach should always be used with caution and never mixed with other chemicals. Adequate ventilation should be provided when using these materials.

DDA Requirements

When specifying ceramic wall and floor tiles, the main consideration relating to the Disability Discrimination Act 2005 is colour contrast. Having visual contrast between adjacent elements of a building (e.g. doors, walls, stair edging) allows partially sighted people to differentiate between these elements.

Compliance with this Act can be achieved by following the guidance in either the Building Regulations 2004 Part M or BS 8300.

Both of these documents refer to Light Reflectance Values (LRV) to denote colour contrast. LRV is a measure of the total quantity of visible light reflected by a surface. It is measured on a scale of 0 to 100, with 0 being a perfect absorbing black and 100 being a perfect reflecting white.

In practice a typical black matt tile would have a score of around 5, while a pure white gloss tile would typically score around 90. All other tile colours fit in between these two extremes. The larger the difference between the LRVs of adjacent surfaces the greater the visual contrast is and the easier it is for someone with impaired vision to perceive the difference.

In order to ensure buildings meet the DDA requirements, Part M: 2004 requires an LRV difference between adjacent surfaces of at least 30 points. The latest BS 8300 guidance (incorporating Amendment 1 June 2005) states

General technical wall tile

Dry Pressed Tiles, Group BIII, E>10%

Dimensional properties

	TEST NORM	NORM STANDARD VALUE	BRITISH CERAMIC TILE VALUE
Length and Width	EN ISO 10545-2	+/- 0.5%	Complies with standard
Thickness	EN ISO 10545-2	+/- 10%	Complies with standard
Side Straightness	EN ISO 10545-2	+/- 0.3%	Complies with standard
Rectangularity	EN ISO 10545-2	+/- 0.5%	Complies with standard
Surface Flatness	EN ISO 10545-2	Centre & Edge + 0.5%, -0.3% Warpage +/- 0.5%	Complies with standard

Physical properties

	TEST NORM	NORM STANDARD VALUE	BRITISH CERAMIC TILE VALUE
Slip Resistance	BS7976	Not applicable	-
Breakage Charge	EN ISO 10545-2	Thickness ≥ 7.5mm, 600 Thickness <7.5mm, >200	Complies with standard
Modulus of Rupture	EN ISO 10545-4	Thickness ≥ 7.5mm, 12N/mm² Thickness <7.5mm, 15N/mm²	Complies with standard
Water Absorption	EN ISO 10545-3	>10%	Complies with standard
Resistance to Abrasion	EN ISO 10545-7	Not applicable	-
Resistance to Thermal Shock	EN ISO 10545-9	Manufacturer's Declaration	Resists
Crazing Resistance	EN ISO 10545-11	Required	Resists
Frost Resistance	EN ISO 10545-12	Not applicable	-

Chemical properties

	TEST NORM	NORM STANDARD VALUE	BRITISH CERAMIC TILE VALUE
Resistance to Acids	EN ISO 10545-13	Manufacturer's Declaration	Complies with standard
Resistance to Household Cleaning Products	EN ISO 10545-13	Minimum Class GB	Complies with standard
Resistance to Staining	EN ISO 10545-14	Minimum Class 3	Complies with standard
Release of Lead and Cadmium	EN ISO 10545-15 <small>512006 No.1179:The Ceramic Articles In Contact With Food (England) Regulations 2006</small>	Manufacturer's Declaration	Complies with standard

that there is research-based evidence that a difference of about 20 points may be an acceptable minimum for large areas. For wall and floors tiles, we recommend an LRV difference of 20 points (minimum) and where possible at least 30 points.

Shading

Tiles from British Ceramic Tile are manufactured to the highest British and European standards. During the manufacturing of ALL ceramic tiles, some variations in shade and pattern can occur, however we are confident that the tone will be consistent. We recommend that sufficient tiles are purchased at one time to complete the jobs. Do not fix tiles if you cannot obtain an acceptable blend for any reason.

Modular Metric

Our tiles are modular metric. This means that the tile Size (mm)s have been designed to accommodate the grout gap in the module Size (mm). This makes it easy to calculate the area that will be covered by the tiles after they have been fixed. Following the recommendations given in BS 5385, our wall and floor tiles have been designed for 2mm and 3mm grout joints respectively. As an example, our equivalent of a 20 x 25cm wall tile actually measures 198 x 248 mm and one box of twenty tiles will produce 1 m² of tiled wall when fixed using 2mm spacers.

General

The product images shown in this catalogue are as accurate as the limitations of the printing process will allow. Please refer to actual product samples before purchasing.

Every effort has been made to ensure the accuracy of the information given in this literature. In the interests of progress, however, British Ceramic Tile reserves the right to change specifications and availability without prior notice.



For further details contact your ASM
or Customer Services on:

+44 (0) 845 055 1275

enquiries@britishceramictile.com



@britishceramictile



@britceramtile

Heathfield, Newton Abbot, Devon. TQ12 6RF
The Hub, Summit House, Bradford Road,
Cleckheaton. BD19 6BW

April 2016