

KITCHEN

2016 COLLECTION



ALL THE KITCHEN TILES YOU NEED IN ONE, EASY-TO-USE BROCHURE

CONTENTS

THE TREND EDIT	4 - 5
INTRODUCTION	6 - 7
CHARACTER	8 - 31
Buxton	8
Cookhouse Character	9
Elite Stone Bali Cream	10 - 11
Elite Stone Java Grey	10 - 11
Elite Stone Rice White	10 - 11
HD Laurel Marble	12 - 13
HD Mimeo	14
HD Snowdonia	15
HD Slate	16 - 17
Hex	18 - 19
Keystone	20 - 21
Laura Ashley Artisan	22 - 23
Laura Ashley Heritage	24 - 25
Laura Ashley Wood Effect	26 - 27
V&A	28 - 31
IMPACT GLASS	32 - 33
IMPRESSION	34 - 53
Feature Floors	34 - 35
HD Paragon	36 - 37
Industrial	38 - 39
Mosaics	40 - 41
Parian	42 - 43
Ted Baker GeoTile	44 - 45
Ted Baker ParqTile	46 - 47
Ted Baker VersaTile	48 - 49
Ted Baker ArTile	50 - 53
SIMPLICITY	54 - 77
Bretton	54
Capri	55
Studio Conran Linea Flow	56 - 57
Studio Conran Tactile Hartland	58 - 59
Studio Conran Linea Point	60 - 61
Function & Form	62 - 65
HD Ditto	66
HD Geneva	67
HD Wood	68 - 69
Mosaics	70 - 71
Metro	72
Ondulato	73
Rapolano	74 - 77
TECHNICAL INFORMATION	78 - 79





HD Concrete Feature Floor

Concrete EVIDENCE

Raw, gritty and glamorous, the industrial minimalistic look, and versatility of concrete is empowering designers and architects more and more. This has marked a move away from smooth, clean surfaces, to uneven and industrial materials.

Building on the popularity of greys and upcycled living, the raw and industrial feel of concrete finishes is as popular as ever. This season goes further by imprinting textures into unset concrete, softening the overall look, whether it be a natural finish or a decorative pattern.

Coloured concretes are starting to emerge either toning in with the inherent greys or fighting against them. This works well with wooden accessories, or can be enhanced simply with a monochrome effect of matt whites and blacks.

Either way, the stylistic result of concrete is dramatic and striking.



HD Laurel Marble

COURTING copper

Courting Copper creates a sumptuously modern look that is pure industrial luxury! There is often the feel of unfinished functionality surrounding copper but the stylistic combinations of this warm metallic shade, with elegant design, make this trend anything but functional. Dark rich blues and flashes of decorative pattern makes this a fun and visually dramatic trend.

Large areas of statement copper on surfaces and walls reflect light and extend the visual space within a room. Copper is an easy tone to work with offering warmth and beauty; use key pieces to add decorative flair or just enjoy the warm glow and relaxed ambience it creates.



Hex

Instant INDUSTRIAL

The industrial urban look takes on many forms, anything from exposed pipework and crumbling brick walls, to worn concrete and rusting metals. Each element is a seemingly unconventional choice when creating an interior space, but this contemporary trend is all about the understated, embracing raw materials and recycling with style.

This eclectic, relaxed style is already well established in the kitchen, and continues to grow in popularity, as the look travels to other rooms. Combinations and styling is key to this look with 'unfinished' woods, worn metals and aged bricks being perfect companions, to create a super cool interior full of character.

Fixtures and fittings feature dark matt finishes which contrast with woods and metals, epitomising this unrefined look.

The trend is apparently instant, but is based on the foundation of original features that embrace the heritage of an industrial era. Instant industrial complements loft living but the mood can easily be recreated by mixing textured surfaces - such as re-cycled woods, beaten metallics and exposed bricks.



Industrial



INTRODUCING THE KITCHEN COLLECTION

The Kitchen Collection is a comprehensive range of tiles from House of British Ceramic Tile specifically suited to kitchen applications. The collection is split into four ranges making it simple and painless to choose kitchen tiles, whatever your style. These ranges can also be easily combined (mix n' match to your hearts content) to create a truly individual look, or simply find the look you love and stick to it - the whole collection offers solutions for both wall and floor. But it doesn't have to end there, for the more adventurous, these tiles can add interest and beauty to practically any surface!

Character

As the name suggests the Character collection's rustic handmade appearance and rich glossy glazes will give your kitchen bags of character. The range has been developed with traditional kitchens in mind and the muted colour pallet will complement classic timber or painted kitchens, whilst the intricate patterns allow you to add even more character and reflect your own personal style. Remember, traditional doesn't mean old fashioned - you can use Character tiles to create a look that's as classic or as modern as you'd like.



Impression

Trend-focussed tiles with WOW factor. Choose from bold patterns, intricate details and special effects to add your own personal touch, great for a modern kitchen to complement a high gloss finish or fashion forward interior look. Impression tiles can also be used in a more rustic kitchen look over a small space or bring to life plainer kitchen units. Dare to make an impression!



IMPACT

If you are looking for a sleek and contemporary kitchen to reflect the latest trends then look no further. With 600x750mm glass splashbacks in a range of on-trend colours and striking designs, Impact is perfect for adding a focal point to your home. Not only will your kitchen look stylish it will be practical too, as glass splashbacks provide a hard-wearing and easy-to-clean surface, perfect for the modern home.

Simplicity

Designed for those who prefer a simple, elegant look that will stand the test of time. The perfect finishing touch for unfussy kitchen styles, Simplicity will give your kitchen a clean, fresh look that is modern yet timeless, meaning you can enjoy it for many years to come. If you feel like being bolder without a big commitment, team with tiles from the Impression range to truly personalise your space.



Mix & Match

tiles from all four ranges for an individual look!

buxton

Textured wall tiles in a satin finish with complementary border strips and matching ceramic floor tiles.



BCT10340
Marble Beige Mosaic
302x302mm **S** **C**



BCT10357
Marble Black/White Mosaic
302x302mm **S** **C**



cookhouse character

Beautiful 10mm thick rustic wall tiles with rich glazes in a choice of muted colours.



BCT23364
White Wall
100x100mm
G **C**



BCT23395
Cream Wall
100x100mm
G **C**



BCT23425
Mink Wall
100x100mm
G **C**



BCT23517
Sage Wall
100x100mm
G **C**



BCT23548
Cornflower
Wall
100x100mm
G **C**



BCT23487
Wine Wall
100x100mm
G **C**



BCT23456
Cocoa Wall
100x100mm
G **C**



BCT23371
White Wall
150x75mm
G **C**



BCT23401
Cream Wall
150x75mm
G **C**



BCT23432
Mink Wall
150x75mm
G **C**



BCT23524
Sage Wall
150x75mm
G **C**



BCT23555
Cornflower
Wall
150x75mm
G **C**



BCT23494
Wine Wall
150x75mm
G **C**



BCT23463
Cocoa Wall
150x75mm
G **C**



BCT23388
White Wall
100x300mm
G **C**



BCT23418
Cream Wall
100x300mm
G **C**



BCT23449
Mink Wall
100x300mm
G **C**



BCT23531
Sage Wall
100x300mm
G **C**



BCT23562
Cornflower
Wall
100x300mm
G **C**



BCT23500
Wine Wall
100x300mm
G **C**



BCT23470
Cocoa Wall
100x300mm
G **C**

bali cream



ISC2665
5x5 Mosaic
Polished
305x305mm **G NS**



ISC2666
Brick Mosaic
Polished
305x305mm **G NS**

java grey



ISC2696
5x5 Mosaic
Polished
305x305mm **G NS**



ISC2697
Brick Mosaic
Polished
305x305mm **G NS**

rice white




ISC2679
Scored Wall
305x305mm **M NS**



ISC2676
5x5 Mosaic
Honed
305x305mm **M NS**



ISC2677
Brick Mosaic
Honed
305x305mm **M NS**



ISC2680
Honed Multi Use
305x305mm **M NS**




HD TECHNOLOGY laurel marble

A luxurious white carrara marble effect range available in a variety of formats.



BCT47018
Matt Floor
498x498mm
M C PEI 4



BCT47001
Matt Wall
248x498mm
M C



BCT48466
Hexagon Multi Use
175x202mm **M P PEI 4**



Beautiful stone effect ceramic tile printed using the latest in HD technology.


INDEPENDENTS
EXCLUSIVE




A beautiful mini splitface structured tile inspired by natural slate textures, with a co-ordinating Riven multi use tile.



BCT21049
Grey Matt Multi Use
298x498mm
M C PEI 3



BCT20981
Light Grey Matt Multi Use
298x498mm M C PEI 3



BCT46714
White Matt Multi Use
298x498mm
M C PEI 4



BCT21056
Grey Gloss Wall
298x498mm G C



BCT20998
Light Grey Gloss Wall
298x498mm G C



BCT46721
White Gloss Wall
298x498mm G C

Can be used
on walls &
floors



BCT41801
Riven Grey Multi Use
298x498mm M C PEI 3



BCT41818
Riven Brown Multi Use
298x498mm M C PEI 3



BCT41825
Grey Mini Splitface Wall
298x498mm M C



BCT41832
Brown Mini Splitface Wall
298x498mm M C

Rustic by design, but practical by nature, the collection is incredibly versatile and brings a strong, textural quality to walls and floors, seamlessly recreating a rustic slate-effect from floor to ceiling.




BCT12719
Oyster Wall
248x498mm
G C



BCT13419
Splitface Oyster Wall
248x498mm
G C




BCT12856
Beige Wall
248x498mm
G C



BCT12993
Splitface Beige Wall
248x498mm
G C



BCT24156
Black Wall
248x498mm
G C



BCT13891
Splitface Black Wall
248x498mm
G C



BCT12986
Grey Wall
248x498mm
G C



BCT13389
Splitface Grey Wall
248x498mm
G C

3D

3D

3D

3D



BCT39754
Oyster Floor
498x498mm
G C PEI 4



BCT39761
Beige Floor
498x498mm
G C PEI 4



BCT39778
Grey Floor
498x498mm
G C PEI 4



BCT39747
Black Floor
498x498mm
G C PEI 4

hex


A stylish range of porcelain hexagon tiles adding a fresh geometry to floors and walls. Available in matt and satin in a variety of colours that can be used individually or co-ordinated to create decorative patterns. The possibilities for this tile in your home are limitless.



BCT48466
HD Laurel Hexagon
Multi Use
175x202mm **M P PEI 4**



BCT48428
Hexagon Black
Multi Use
175x202mm **M P PEI 1**



BCT48459
Hexagon White
Multi Use
175x202mm **M P PEI 4**



BCT48442
Hexagon Cream
Multi Use
175x202mm **M P PEI 4**



BCT48435
Hexagon Grey
Multi Use
175x202mm **M P PEI 2**



keystone

Porcelain slate effect floor tiles made using the very latest technology.



ISC3478
Stone Floor
400x600mm
M P PEI 4



ISC3477
Mocha Floor
400x600mm
M P PEI 4



LAURA ASHLEY

The Laura Ashley tile collection from British Ceramic Tile offers the perfect way to add that understated finish to any bathroom, kitchen or other tiled area. The tiles have been designed as the ideal complement to a wide range of furniture and other home furnishings from the Laura Ashley ranges.



LAURA ASHLEY ARTISAN

With a crafted high gloss finish, Artisan has a traditional handmade feel which is perfect for rustic or vintage-inspired design schemes.



LA51508
White Wall
75x150mm
C G



LA51515
Pale Biscuit Wall
75x150mm
C G



LA51546
French Grey Wall
75x150mm
C G




LA51522
Eau de nil Wall
75x150mm
C G



LA51539
Cobblestone Wall
75x150mm
C G



LA51560
Duck Egg Wall
75x150mm
C G



LA51805
Creamware Wall
75x150mm
C G



LA51553
Amethyst Wall
75x150mm
C G



LA51799
Willow Wall
75x150mm
C G



LA51942
Charcoal Wall
75x150mm
C G



LA51966
Seaspray Wall
75x150mm
C G



LA51591
White Wall
75x300mm
C G



LA51577
Pale Biscuit Wall
75x300mm
C G



LA51812
French Grey Wall
75x300mm
C G



LA51584
Eau de nil Wall
75x300mm
C G



LA51829
Cobblestone Wall
75x300mm
C G



LA51843
Duck Egg Wall
75x300mm
C G



LA51867
Creamware Wall
75x300mm
C G



LA51836
Amethyst Wall
75x300mm
C G



LA51850
Willow Wall
75x300mm
C G



LA51959
Charcoal Wall
75x300mm
C G



LA51973
Seaspray Wall
75x300mm
C G




LAURA ASHLEY

Key **P** Porcelain **NS** Natural Stone **C** Ceramic **G** Gloss **M** Matt **S** Satin

LAURA ASHLEY

THE HERITAGE COLLECTION

Enrich the feel of any room by creating a look that is truly intriguing on the eye.



LA52000
Mr Jones
Charcoal Floor
331x331mm
M C PEI 3



LA52017
Mr Jones
Dove Grey Floor
331x331mm
M C PEI 3



LA51980
Wicker
Charcoal Floor
331x331mm
M C PEI 3



LA51997
Wicker
Dove Grey Floor
331x331mm
M C PEI 3





LAURA ASHLEY

WOOD EFFECT

Wood effect tiles combine the beauty of wood with the practical benefits of ceramic tiles, as they are hard wearing, water resistant, easy to clean and perfect for use with underfloor heating.

Available in a choice of four wood styles, the plank format tiles can be used on floors and walls throughout the home.



LA51768
Walnut Multi Use
148x498mm
M C PEI 4




LA51874
Oak Multi Use
148x498mm
M C PEI 4



LA51775
Limed Oak Multi Use
148x498mm
M C PEI 3



LA51782
Whitewash Multi Use
148x498mm
M C PEI 3



VA03216
Turquoise Wall
198x198mm
C G



VA03223
Galicia Décor Wall
198x198mm
C G



VA03230
Temara Décor
Blue Wall
198x198mm
C G



VA03247
Indigo Wall
198x198mm
C G



VA03902
Omar Multicolour Floor
331x331mm
C G PEI 4



VA03162
Burgundy
Puddle Glaze
Wall
152x76mm
C G



VA03193
Racing Green
Puddle Glaze
Wall
152x76mm
C G



VA03186
Teapot Brown
Puddle Glaze
Wall
152x76mm
C G



VA2005
Peacock Puddle
Glaze Wall
152x76mm
C G




VA2007
Honey Puddle
Glaze Wall
152x76mm
C G



VA2006
Olive Puddle
Glaze Wall
152x76mm
C G



VA2001
White Wall
152x76mm
C G



VA2002
Cream Wall
152x76mm
C G



VA03155
Cobalt Wall
152x76mm
C G



VA03148
Black Wall
152x76mm
C G



VA90105
Grape Wall
152x76mm
C G



VA1001
White Wall
152x152mm
C G



VA03254
Ottoman
Blue Wall
152x152mm
C G



VA03261
Ottoman
Teal Wall
152x152mm
C G



VA03872
Omar Décor
Multicolour Wall
152x152mm
C G



VA03865
Mina Décor
Blue/Green Wall
152x152mm
C G



VA03285
Souk Décor
Blue Wall
152x152mm
C G




VA03278
Souk Décor
Teal Wall
152x152mm
C G



VA03858
Souk Décor
Black & White
Wall
152x152mm
C G

IMPACT™

SPLASHBACKS



BCT33424
Crystal Glass White
Gloss 600x750mm




BCT33608
Galaxy Glass Black
Gloss 600x750mm



BCT34858
Lipstick Glass Red
Gloss 600x750mm




BCT35039
Lime Glass Green
Gloss 600x750mm




BCT33950
Silver Glass
600x750mm



BCT34490
Pewter Glass Grey
Gloss 600x750mm



BCT36654
Aubergine Glass
Purple Gloss
600x750mm



BCT32892
Liquorice Glass Black
Gloss 600x750mm






BCT46806
Devonstone
Feature Floor Black
331x331mm
M C PEI 3




BCT11064
Devonstone
Feature Floor Grey
331x331mm
M C PEI 3



BCT11057
Devonstone
Feature Floor Brown
331x331mm
M C PEI 3



BCT14423
HD Concrete
Feature Floor
331x331mm
M C PEI 4



BCT28710
Illusion Grey Floor
331x331mm
M C PEI 3



BCT28727
Illusion Neutral Floor
331x331mm
M C PEI 3



BCT28659
Mary Floor
331x331mm
M C PEI 3



BCT28642
Bertie Floor
331x331mm
M C PEI 3

HD TECHNOLOGY paragon

Rustic Brick effect matt tiles with complementing multi use plains created using the latest 3D HD technology.



3D

BCT47315
Grey Brick Wall
298x498mm
M C



BCT47322
Grey Concrete Multi Use
298x498mm M C PEI 4



3D

BCT47858
Rustic Brick Wall
298x498mm
M C



BCT48015
Rustic Concrete Multi Use
298x498mm M C PEI 4









industrial

An on trend range of rustic matt and metallic glazed wall tiles giving a nod towards industrial heritage.





BCT48404
Black Matt Wall
75x300mm  





BCT48381
Gold Wall
75x300mm  




BCT48398
Iron Wall
75x300mm  




BCT48374
Silver Wall
75x300mm  

Shades of Grey


From bold black to clean, crisp whites and multiple shades of grey in-between. The Shades of Grey range includes mosaics with iridescent, metal and foil finishes.




BCT38399
Silver Metal/Glass
Mix Mosaic
305x305mm



BCT38566
Mother of Pearl
Mosaic Dark
305x305mm



BCT38375
Black Hammered
Glass Mosaic
305x305mm



BCT38610
Silver Foil Glass
Mosaic
300x300mm




BCT38580
Mother of Pearl
Mosaic Light
300x300mm






parian

Be on-trend with this set of 12 porcelain patchwork tiles. With four different designs, it is perfect for creating a statement wall or floor!



BCT41955
Set of 12 Multi Use Grey
Décors - 4 Designs
142x142mm
P PEI 4



BCT41986
Dark Grey Plain
Multi Use
142x142mm
P PEI 1



BCT41993
Mid Grey Plain
Multi Use
142x142mm
P PEI 2



BCT41948
Set of 12 Multi Use Coloured Décors - 4 Designs
142x142mm
P PEI 4



BCT41962
Cream Plain
Multi Use
142x142mm
P PEI 4



BCT41979
Red Plain
Multi Use
142x142mm
P



Can be used
on walls &
floors




TED BAKER
LONDON

Key P Porcelain NS Natural Stone C Ceramic G Gloss M Matt S Satin

GeoTile

Inspired by the Edwardian tiles that lead up the pathways of London's iconic townhouses, GeoTile threads a sleek tonal grey colourway with Ted's favourite geometric prints.

Fancy flourishes that look stylish in any room, GeoTile can be used inside or out and come in a pack of 24 with two of each design.



BCT43706

Pack of 2 x 12 GeoTile Designs

Multi Use

148x148mm

PEI 3



RESIDENCE



ParqTile

Ted's branched out to create a range of parquet-effect tiles that can be used on walls or floors, inside or out. Available in traditional brown and contemporary grey, these tiles are finished with an authentic grain effect. Have it your own way by creating a pattern or patchwork effect, suited perfectly to your taste.



BCT43751
Brown
ParqTile
Multi Use
148x148mm
PEI 3



BCT43744
Grey
ParqTile
Multi Use
148x148mm
PEI 2

TED BAKER
LONDON




TED BAKER
LONDON

Key P Porcelain NS Natural Stone C Ceramic G Gloss M Matt S Satin


VersaTile

A range of no ordinary tiles, the VersaTile collection is functional, with a touch of flair. Simple yet stylish, they can be coordinated with almost all of Ted's tiles and come in three shades of grey specially chosen to make your house a home.

Small



BCT43713
Small White
VersaTile
Multi Use
148x148mm
M P PEI 4




BCT43720
Small Light Grey
VersaTile
Multi Use
148x148mm
M P PEI 3



BCT43737
Small Dark Grey
VersaTile
Multi Use
148x148mm
M P PEI 3

Big



BCT45793
Big White VersaTile
Multi Use
298x498mm
M C PEI 4



BCT45748
Big Light Grey VersaTile
Multi Use
298x498mm
M C PEI 3



BCT45755
Big Mid Grey VersaTile
Multi Use
298x498mm
M C PEI 3



BCT45762
Big Dark Grey VersaTile
Multi Use
298x498mm
M C PEI 3



RESIDENCE


ArTile

Ted's signature designs printed onto sleek, light reflecting glass for making a statement in any room of the home. Available in two sizes, the large ones are specially sized to be used as a splashback behind a kitchen cooker or sink or in a bathroom – just stick them on and enjoy. Both sizes and all designs would make an equally stylish work of art in any room, yes, even in the garden.



BCT45946
Cotton Black ArTile
600x750mm

BCT45960
Cotton Black ArTile
200x250mm



BCT45953
Cotton Nude ArTile
600x750mm



BCT46004
Vintage Rose ArTile
600x750mm

BCT45977
Cotton Nude ArTile
200x250mm

BCT46011
Vintage Rose ArTile
200x250mm



RESIDENCE

ArTile

Ted's signature designs printed onto sleek, light reflecting glass for making a statement in any room of the home. Available in two sizes, the large ones are specially sized to be used as a splashback behind a kitchen cooker or sink or in a bathroom – just stick them on and enjoy. Both sizes and all designs would make an equally stylish work of art in any room, yes, even in the garden.



BCT43874
Shadow Floral ArTile
600x750mm

BCT45984
Shadow Floral ArTile
200x250mm



BCT43881
Distinguished Rose ArTile
600x750mm

BCT45991
Distinguished Rose ArTile
200x250mm

bretton


A natural stone effect matt floor tile made from hard wearing porcelain.



ISC3484
Cream Floor
400x600mm
M P PEI 4




ISC3485
Beige Floor
400x600mm
M P PEI 4



capri

Ceramic wall tiles with a natural stone effect.



ISC2626
Ivory Wall
75x150mm
G C



ISC2623
Beige Wall
75x150mm
G C



ISC2624
Sand Wall
75x150mm
G C



ISC2625
Noce Wall
75x150mm
G C



L001454
Ivory Wall
100x100mm
M C



L001462
Beige Wall
100x100mm
M C

TRACE

◆●+

TILES BY STUDIO
CONRAN

Key P Porcelain NS Natural Stone C Ceramic G Gloss M Matt S Satin

● LINEA FLOW

Inspired by the gentle irregularity of a hand drawn line, and the organic, linear structures that occur in nature, Flow softens an otherwise hard surface. A satin glaze accentuates the generous depth of the structure.



RAN00675
Flow Black
Matt Wall
248x498mm
M C



RAN00682
Flow White
Matt Wall
248x498mm
M C



RAN00699
Flow Smoke
Matt Wall
248x498mm
M C




RAN00705
Flow Putty
Matt Wall
248x498mm
M C



RAN00712
Flow Dusk
Matt Wall
248x498mm
M C



RAN00873
Plain Black
Matt Wall
248x498mm
M C



RAN00880
Plain White
Matt Wall
248x498mm
M C



RAN00897
Plain Smoke
Matt Wall
248x498mm
M C



RAN00903
Plain Putty
Matt Wall
248x498mm
M C




RAN00910
Plain Dusk
Matt Wall
248x498mm
M C

+ TACTILE HARTLAND



RAN00781
Black Pressed
Mosaic Wall
248x398mm
C G



RAN00774
White Pressed
Mosaic Wall
248x398mm
C G



RAN00798
Putty Pressed
Mosaic Wall
248x398mm
C G



RAN00804
Poise Pressed
Mosaic Wall
248x398mm
C G



RAN00811
Plum Pressed
Mosaic Wall
248x398mm
C G



RAN00453
Metallic
Mosaic Wall
248x398mm
C G



RAN01078
Plain Black
Gloss Wall
248x398mm
C G



RAN01085
Plain Putty
Gloss Wall
248x398mm
C G



RAN01092
Plain Poise
Gloss Wall
248x398mm
C G



RAN01108
Plain Plum
Gloss Wall
248x398mm
C G




TILES BY STUDIO
CONRAN

● LINEA POINT

Inspired by traces of water; Point's droplets of deep gloss glaze punctuate a rich satin surface with a loose, yet linear pattern. The result is a surprising, yet subtle finish that responds to the way light falls upon it.



RAN00729
Point Décor
Black Wall
248x498mm
M C



RAN00736
Point Décor
White Wall
248x498mm
M C



RAN00743
Point Décor
Smoke Wall
248x498mm
M C



RAN00750
Point Décor
Putty Wall
248x498mm
M C




RAN00767
Point Décor
Dusk Wall
248x498mm
M C



TILES BY STUDIO
CONRAN

function & form


A contemporary range of black and white wall and floor tiles with various 3D effect décors.



BCT20936
White Gloss Plank Wall
148x498mm
G C



BCT20943
Black Gloss Plank Wall
148x498mm
G C



BCT20912
White Matt Plank Multi Use
148x498mm
M C PEI 4



BCT20929
Black Matt Plank Multi Use
148x498mm
M C PEI 1

form patchwork

The Function & Form Patchwork is a structured décor and is available in black and white in both gloss and satin formats. It can be used as a feature wall against the co-ordinating plain Function tiles.



BCT42037
White Satin Wall
248x498mm
S C



BCT42020
Black Satin Wall
248x498mm
S C



BCT42013
White Gloss Wall
248x498mm
G C



BCT42006
Black Gloss Wall
248x498mm
G C






form wave


Function and Form comprises a contemporary range of black and white ceramic wall and floor tiles with complementary 3D wave effect décors to create a striking monochrome look.




BCT18741
White Matt Wall
248x498mm **M** **C**



BCT19946
White Gloss Wall
248x498mm **G** **C**




BCT18765
Black Matt Wall
248x498mm **M** **C**




BCT18758
Black Gloss Wall
248x498mm **G** **C**

form hex


A structured decorative tile featuring an on trend hexagon shape for use with the plain function tiles. Hex is available in black and white in both matt and gloss finishes.




BCT42129
White Gloss Wall
298x498mm **G** **C**



BCT42136
White Matt Wall
298x498mm **C** **M**



BCT42143
Black Gloss Wall
298x498mm **C** **G**



BCT42150
Black Matt Wall
298x498mm **C** **M**





HD ditto
TECHNOLOGY

A range of ceramic, matt effect wall and floor tiles created using the latest in high definition technology.


INDEPENDENTS
EXCLUSIVE

HD geneva
TECHNOLOGY


Geneva offers a modern striking black and white carrara marble effect that adds luxury within any bathroom.



BCT41849
Carrara Wall
248x498mm **C M**



BCT41856
Carrara Floor
498x498mm **C M PEI 4**



BCT20448
Beige Floor
331x331mm
M C PEI 3



BCT20479
Light Grey Floor
331x331mm
M C PEI 4



BCT20509
Dark Grey Floor
331x331mm
M C PEI 4



BCT12740
Beige Multi Use
400x600mm
M P PEI 4



BCT12764
Light Grey Multi Use
400x600mm
M P PEI 4



BCT12757
Dark Grey Multi Use
400x600mm
M P PEI 3





Ceramic range of wall and floor tiles printed using the latest technology to emulate the look of real wood.



BCT21216
Classic Wood Effect
Brown Matt
Multi Use
148x498mm
M C PEI 3



BCT21247
Rustic Wood Effect
White Matt
Multi Use
148x498mm
M C PEI 4




BCT21223
Classic Wood Effect
Beige Matt
Multi Use
148x498mm
M C PEI 3



BCT21254
Rustic Wood Effect
Light Grey Matt
Multi Use
148x498mm
M C PEI 4



BCT21209
Classic Wood Effect
Grey Matt
Multi Use
148x498mm
M C PEI 3



BCT21261
Rustic Wood Effect
Dark Grey Matt
Multi Use
148x498mm
M C PEI 3



BCT21230
Classic Wood Effect
Light Grey Matt
Multi Use
148x498mm
M C PEI 4




BCT21278
Rustic Wood Effect
Beige Matt
Multi Use
148x498mm
M C PEI 3



Shades of grey

From bold black to clean, crisp whites and multiple shades of grey in-between. The Shades of Grey range includes mosaics with iridescent, metal and foil finishes.




BCT38320
Hexagon Porcelain
White Mosaic
300x300mm



BCT38313
Hexagon Porcelain
Black Mosaic
300x300mm



BCT38337
Grey Glass Mix
Mosaic
300x300mm



BCT38344
Stone and Glass
Grey Mix Mosaic
300x300mm




BCT38368
White Linear
Glass Stone
Mix Mosaic
305x305mm

Luxe

Luxe brings together unique shapes and luxurious finishes such as mother of pearl for the ultimate finish to any room.



BCT38559
White Hexagon Stone
Mosaic
305x265mm



ondulato


Ceramic wall tile range in a textured brick style.




K000432
Bianco Gloss Wall
150x75mm **G C**




K000436
Bianco Matt Wall
150x75mm **M C**



K000433
Bianco Crackle Wall
150x75mm **M C**




K000437
Cream Wall
150x75mm **M C**



K000434
Crackle Gris Wall
150x75mm **M C**



K000439
Grafito Gris Wall
150x75mm **M C**



K000438
Negro Wall
150x75mm **M C**



metro

Ceramic wall tiles in contemporary rectangular formats with a beveled edge.




K000470
Bianco Gloss
Metro Wall
100x200mm **G C**



K000471
Crema Gloss
Metro Wall
100x200mm **G C**



K000472
Black Gloss
Metro Wall
100x200mm **G C**



BCT43799
Grey Gloss
Metro Wall
100x200mm **G C**



rapolano

Ceramic range of wall tiles in gloss or matt with matching floors, all in a natural stone effect.



BCT20256
Noce Matt
Multi Use
298x598mm **M C PEI 3**

BCT01546
Noce Gloss Wall
298x598mm **G C**



BCT01522
Noce Matt Multi Use
298x498mm
M C PEI 3



BCT20263
Noce Matt Wall
300x416mm **M C**

BCT01539
Noce Gloss Wall
300x416mm **G C**



BCT20270
Noce Matt Floor
331x331mm
M C PEI 3



BCT47209
Noce Anti-Slip Gloss
Beige Floor
331x331mm
G C PEI 4



BCT01423
Walnut Matt
Multi Use
298x598mm
M C PEI 3

BCT01461
Walnut Gloss Wall
298x598mm
G C



BCT01447
Walnut Matt
Multi Use
298x498mm
M C PEI 3




BCT01416
Walnut Matt Wall
300x416mm **M C**

BCT01454
Walnut Gloss Wall
300x416mm **G C**



BCT01430
Walnut Matt Floor
331x331mm
M C PEI 3



BCT01560
Faux
Mosaic Gloss
248x498mm
G C

BCT01553
Faux
Mosaic Satin
248x498mm
S C



rapolano

Ceramic range of wall tiles in gloss or matt with matching floor tiles, all in a natural stone effect.



BCT20225
Marfil Matt
Multi Use
298x598mm
M C PEI 3

BCT01508
Marfil Gloss Wall
298x598mm G C



BCT01485
Marfil Matt
Multi Use
298x498mm
M C PEI 3



BCT20232
Marfil Matt Wall
300x416mm M C

BCT01492
Marfil Gloss Wall
300x416mm G C



BCT20249
Marfil Matt Floor
331x331mm
M C PEI 3



BCT47216
Marfil Anti-Slip Gloss
Beige Floor
331x331mm G C PEI 4



BCT39716
Grey Matt
Multi Use
298x598mm
M C PEI 3

BCT39785
Grey Gloss Wall
298x598mm
G C



BCT39730
Grey Matt
Multi Use
298x498mm
M C PEI 3



BCT30348
Grey Matt Wall
300x416mm
M C

BCT38283
Grey Gloss Wall
300x416mm
G C



BCT39709
Grey Matt Floor
331x331mm
M C PEI 3



BCT47193
Grey Anti-Slip
Gloss Floor
331x331mm G C PEI 4

technical information

Technically Perfect

At British Ceramic Tile we strive to be faultless in our approach to meeting the strictest of technical standards. We produce in excess of 20,000m² of tiles every day and we do so within internationally recognised standards. This is a difficult technical challenge yet we do not compromise on any of these standards.

It is only by manufacturing in such volume, with such consistent technical precision, that we can be sure that we are able to pass on the benefits of our modern manufacturing capability downstream to our specifiers and end users in the form of better value for money in our product.

BS EN14411

As with most construction products, the main technical characteristics of ceramic tiles are classified by international standards. For ceramic tiles, the relevant harmonised European standard is BS EN 14411. This standard encompasses the BS EN ISO 10545 suite of ceramic tile test methods.

Within EN 14411, ceramic tiles are classified into various groups to reflect the range of production processes and product characteristics. The products manufactured in our factory in Devon are classified as group BIII and are covered by Annex L of the standard. We manufacture to strict levels of quality control throughout the entire production process to ensure all products meet or exceed these requirements. We periodically have the tiles independently assessed by an accredited ceramic test laboratory (CERAM).

CE Marking and Product Directives

The CE mark is a mandatory conformity mark for many products within the European Economic Area (EEA). By affixing the CE mark, the manufacturer asserts that the item meets all the essential requirements of all applicable harmonised European standards as set out in the relevant European Product Directives. For ceramic tiles, the requirements for CE marking are contained within Annex ZA of EN 14411. This standard meets the requirements of the Mandates M/119 (Floorings) and M/121 (Internal and external wall and ceiling finishes) given under the EU Construction Products Directive (89/106/EEC). Further information may be found at www.britishceramictile.com/technical

Slip Resistance

There is a duty of care upon stakeholders involved in specifying flooring products (manufacturers, architects, distributors, installers etc.) to ensure that the surfaces are fit for purpose and do not pose a safety risk. One of the key considerations is defining its slip resistance. The latest version of EN14411 does not define a single test protocol for assessing slip resistance. Instead several tests have been deemed to be acceptable and it has been left to individual EU member states to determine their favoured test. For the UK, the only slip test recognised by the Health and Safety Laboratory is the pendulum test. Other slip tests e.g. DIN 51130 Ramp or Tortus are not recognised.

For ceramic tiles, the use of the pendulum is covered by BS 7976-2. The test is designed to simulate the action of a slipping foot and uses a weighted swinging arm which contacts the test surface via a standard rubber heel (slider). The slip resistance is calculated by measuring the upswing - the greater the upswing, the lower the slip resistance.

Further details on measuring slip resistance can be found in the following link www.hse.gov.uk/pubns/web/slips01.pdf

The HSE has also developed a freely downloadable software package (Slip Assessment Tool – SAT) that allows users to assess the slip potential of pedestrian walkway surfaces using surface microroughness data and other relevant information. The SAT software can be downloaded free from the following link.

www.hsesat.info

Abrasion Resistance of Glazed Floor Tiles (PEI)

All floor coverings are exposed to wear due to the abrasive action of dirt particles contained on the soles of the user's footwear. Over prolonged periods this causes the appearance of the tile to change. As applied to glazed ceramic floor tiles, surface abrasion is assessed by BS EN ISO 10545-7.

This test is a compulsory requirement for glazed ceramic tiles intended to be used in flooring applications. This test involves subjecting the glazed tile to an abrasive load and establishing the number of revolutions required to cause visible damage to the glazed surface. The test results are classified into one of six wear resistance groups ranging from class 0 (unsuitable for floors) to class 5 (suitable for intensive pedestrian traffic). The test and the associated scale were originally developed by the Porcelain Enamel Institute (PEI) and hence the term PEI is frequently encountered in this field. Annex N of EN14411 provides informative guidance on suitable end uses for each wear class. To avoid the risk of premature wear, tiles with a wear resistance classification that meets (or exceeds) that required for the particular application should be used.

Class 0 Not recommended for use on floors.

Class 1 Very light traffic. Soft soled footwear or bare feet without direct access from outside (ensuite bathrooms).

Class 2 Light traffic. Soft soled or normal footwear with very occasional exposure to scratching dirt (living rooms, main bathroom areas, bedrooms).

Class 3 Light to Moderate Traffic. Normal footwear in the presence of small amounts of scratching dirt (any residential area with the possible exception of some entries and kitchens if extremely heavy or abrasive traffic is anticipated).

Class 4 Moderate to Heavy Traffic with some scratching dirt (entrances, commercial kitchens, hotels, exhibitions).

Class 5 Heavy traffic over sustained periods with some scratching dirt (shopping centres, airport concourses, hotel foyers).

BS EN ISO 10545-7 and the associated scale are only applicable to glazed tiles. Unglazed floor tiles, e.g. through body porcelain are subjected to a different wear test, namely BS EN10545-6 which measures resistance to deep abrasion.

Tile Fixing Recommendation

The fixing of tiles to walls and floors is governed by several British Standards, notably the BS 5385 series and BS 8000-11. A list of the individual standards is given here:

Fixing standards

BS 5385-1:2009 Wall and floor tiling. Design and installation of ceramic, natural stone and mosaic wall tiling in normal internal conditions. Code of practice

BS 5385-2:2006 Wall and floor tiling. Design and installation of external ceramic and mosaic wall tiling in normal conditions. Code of practice

BS 5385-3:2007 Wall and floor tiling. Design and installation of internal and external ceramic floor tiles and mosaics in normal conditions. Code of practice

BS 5385-4:2009 Wall and floor tiling. Design and installation of ceramic and mosaic tiling in special conditions. Code of practice

BS 5385-5:2009 Wall and floor tiling. Design and installation of terrazzo, natural stone and agglomerated stone tile and slab flooring. Code of practice

BS 8000-11.1:1989 Workmanship on building sites. Code of practice for wall and floor tiling. Ceramic tiles, terrazzo tiles and mosaics

BS 8000-11.2:1990 Workmanship on building sites. Code of practice for wall and floor tiling. Natural stone tiles

A list of standards relating to adhesives and grout is listed here:

BS EN 12004:2007 Adhesives for tiles – Requirements, evaluation of conformity, classification and designation

BS EN 13888:2009 Grout for tiles — Requirements, evaluation of conformity, classification and designation

The nature of the background should always be a primary consideration, since it determines the type of adhesive to be used and whether any intermediate substrate or other preparatory treatment is required before tiling can commence. Factors relating to the background to be considered are numerous and include the type of material, condition, straightness, porosity, presence of soluble salts etc. Early consideration should also be given to the provision of movement joints in order to allow stresses that result from movement of the background, e.g. drying shrinkage, thermal changes and moisture changes to be dissipated.

We also recommend that tiles are separated with minimum tile joints of 2mm for wall tiles and 3mm for floor tiles.

Ceramic tiles can be fixed using cementitious, dispersion or reaction resin adhesives that are suitable for the required application and the type of tile type to be fixed (BIII, BIa etc.). The fixing method to be used varies depending on the type of background, the nature of the adhesive and the anticipated service conditions of the installation. Therefore, the recommendations of the relevant British Standard and the specific instructions of the adhesive manufacturers should be followed. The performance requirements of adhesives are specified in BS EN 12004:2007.

The performance requirements of grouts are specified in BS EN 13888:2009. It should be noted that some coloured grouts can cause staining on certain glazed tiles. Following the recommendations given in BS 5385, we recommend that when using coloured grouts, a loose sample should first be tested to ensure the tile does not absorb pigment into its surface.

Cleaning & Maintenance

With proper care and attention, a correctly installed, good quality ceramic tile should give many years of trouble-free service.

The Tile Association “Cleaning & Maintenance of Ceramic Tiles” publication recommends:

Hard water deposits, soap, scum and body oils build up and, therefore thorough and frequent cleaning is essential.

The best way to prevent build up of soap, scum and body oil deposits is to use a plastic scouring pad with the appropriate cleaner when cleaning. Acidic based proprietary cleaning materials should not be used with ceramics, porcelain or natural stone.

Wet rooms with inadequate ventilation to remove excess moisture may have fungal growth on the tiles or grout. This can be controlled by wiping with a dilute solution of bleach and leaving it for five minutes before cleaning off. If the fungal growth is not completely removed the bleach may be re-applied and scrubbed with a brush to loosen. The surface should always be rinsed thoroughly with clean water. Bleach should always be used with caution and never mixed with other chemicals. Adequate ventilation should be provided when using these materials.

DDA Requirements

When specifying ceramic wall and floor tiles, the main consideration relating to the Disability Discrimination Act 2005 is colour contrast. Having visual contrast between adjacent elements of a building (e.g. doors, walls, stair edging) allows partially sighted people to differentiate between these elements.

Compliance with this Act can be achieved by following the guidance in either the Building Regulations 2004 Part M or BS 8300.

Both of these documents refer to Light Reflectance Values (LRV) to denote colour contrast. LRV is a measure of the total quantity of visible light reflected by a surface. It is measured on a scale of 0 to 100, with 0 being a perfect absorbing black and 100 being a perfect reflecting white.

In practice a typical black matt tile would have a score of around 5, while a pure white gloss tile would typically score around 90. All other tile colours fit in between these two extremes. The larger the difference between the LRVs of adjacent surfaces the greater the visual contrast is and the easier it is for someone with impaired vision to perceive the difference.

In order to ensure buildings meet the DDA requirements, Part M: 2004 requires an LRV difference between adjacent surfaces of at least 30 points.

General technical wall tile

Dry Pressed Tiles, Group BIII, E>10%

Dimensional properties

	TEST NORM	NORM STANDARD VALUE	BRITISH CERAMIC TILE VALUE
Length and Width	EN ISO 10545-2	+/- 0.5%	Complies with standard
Thickness	EN ISO 10545-2	+/- 10%	Complies with standard
Side Straightness	EN ISO 10545-2	+/- 0.3%	Complies with standard
Rectangularity	EN ISO 10545-2	+/- 0.5%	Complies with standard
Surface Flatness	EN ISO 10545-2	Centre & Edge + 0.5%, -0.3% Warpage +/- 0.5%	Complies with standard

Physical properties

	TEST NORM	NORM STANDARD VALUE	BRITISH CERAMIC TILE VALUE
Slip Resistance	BS7976	Not applicable	-
Breakage Charge	EN ISO 10545-2	Thickness ≥ 7.5mm, 600 Thickness <7.5mm, >200	Complies with standard
Modulus of Rupture	EN ISO 10545-4	Thickness ≥ 7.5mm, 12N/mm² Thickness <7.5mm, 15N/mm²	Complies with standard
Water Absorption	EN ISO 10545-3	>10%	Complies with standard
Resistance to Abrasion	EN ISO 10545-7	Not applicable	-
Resistance to Thermal Shock	EN ISO 10545-9	Manufacturer's Declaration	Resists
Crazing Resistance	EN ISO 10545-11	Required	Resists
Frost Resistance	EN ISO 10545-12	Not applicable	-

Chemical properties

	TEST NORM	NORM STANDARD VALUE	BRITISH CERAMIC TILE VALUE
Resistance to Acids	EN ISO 10545-13	Manufacturer's Declaration	Complies with standard
Resistance to Household Cleaning Products	EN ISO 10545-13	Minimum Class GB	Complies with standard
Resistance to Staining	EN ISO 10545-14	Minimum Class 3	Complies with standard
Release of Lead and Cadmium	EN ISO 10545-15 <small>S12006 No.1179:The Ceramic Articles In Contact With Food (England) Regulations 2006</small>	Manufacturer's Declaration	Complies with standard

The latest BS 8300 guidance (incorporating Amendment 1 June 2005) states that there is research-based evidence that a difference of about 20 points may be an acceptable minimum for large areas. For wall and floors tiles, we recommend an LRV difference of 20 points (minimum) and where possible at least 30 points.

Shading

Tiles from British Ceramic Tile are manufactured to the highest British and European standards. During the manufacturing of ALL ceramic tiles, some variations in shade and pattern can occur, however we are confident that the tone will be consistent. We recommend that sufficient tiles are purchased at one time to complete the jobs. Do not fix tiles if you cannot obtain an acceptable blend for any reason.

Modular Metric

Our tiles are modular metric. This means that the tile Size (mm)s have been designed to accommodate the grout gap in the module Size (mm). This makes it easy to calculate the area that will be covered by the tiles after they have been fixed. Following the recommendations given in BS 5385, our wall and floor tiles have been designed for 2mm and 3mm grout joints respectively. As an example, our equivalent of a 20 x 25cm wall tile actually measures 198 x 248 mm and one box of twenty tiles will produce 1 m² of tiled wall when fixed using 2mm spacers.

General

The product images shown in this catalogue are as accurate as the limitations of the printing process will allow. Please refer to actual product samples before purchasing.

Every effort has been made to ensure the accuracy of the information given in this literature. In the interests of progress, however, British Ceramic Tile reserves the right to change specifications and availability without prior notice.



For further details contact your ASM
or Customer Services on:

+44 (0) 845 055 1275

enquiries@britishceramictile.com



[@britishceramictile](https://www.facebook.com/britishceramictile)



[@britceramtile](https://www.twitter.com/britceramtile)

Heathfield, Newton Abbot, Devon. TQ12 6RF
The Hub, Summit House, Bradford Road,
Cleckheaton. BD19 6BW

April 2016